

Summary of Tags Covered in Unit 4 Lesson 3

Tag / Attribute	Description
Bold Text	Text appears in bold font <u> vs. Part 1</u> <u> vs. Part 2</u>
Strong Text	Text appears in bold font
Emphasized Text	Text appears in italics font
<i>Italics</i>	Text appears in italics font
 your text here 	The size attribute allows you to specify the font size of the text
 your text here 	The color attribute allows you to change the color of individual characters or words
 your text here 	The face attribute specifies a particular font for a section of text
Google	target="_blank" This link opens in a new browser window.
 Send Email 	mailto: creates a link that will open your computer's default email program with the destination email address filled in. (Note: due to the volume of SPAM email these days, this is not recommended)
 	The Image Source tag displays a picture in your web page.
	The alt attribute provides text in the picture placeholder until the picture is displayed. Text to Speech software for visually impaired users will read this text aloud.
	The height and width attributes resize your picture in the web page to fit the specified size.
<body background = "levy.gif">	The background attribute allows you to use a picture as the background of the web page.
 	This combination of anchor and image tags allow you to use a graphic image as a hyperlink. The border attribute allows you to include or exclude a border around the image.
<table> </table>	These tags identify the beginning and ending of a table.
<table width="size" height="size">	Specify the width and height of the table in pixels or percent of the page.
<tr> </tr>	These tags identify the beginning and ending of a row inside a table.

<td> </td>	These tags identify the beginning and ending of table data (column) inside a table.
<th> </th>	These tags are used for column headings, but you can use them for any cell that you want to contain centered boldfaced text in a table.
<table border="value">	The border attribute determines the thickness of the lines of the table. (border = "0" means no lines)
<table cellspacing="value">	The cell spacing attribute controls the amount of space inserted between table cells.
<table cellpadding="value">	The cell padding attribute controls the amount of space inserted between table cell and the contents of the cell.
align = "left" or align = "right" or align = "center"	Horizontally aligns the contents of a cell.
valign = "left" or valign = "right" or valign = "center"	Vertically aligns the contents of a cell.
<table bgcolor="color">	Specify a background color for a table.
<tr bgcolor="color">	Specify a background color for a table row.
<td bgcolor="color">	Specify a background color for a table cell.
<th bgcolor="color">	Specify a background color for a table header.
<table background="YourPicture.jpg">	Specify a background picture for a table.
<form > </form>	Specify the beginning and ending of a form.
<form name="name" id="id">... </form>	Specify the form name and id.
<input type="type" name="name" id="id" />	Specify the input type, name and id for an element in the form.
type="button"	An attribute and value of the input type to display a button that can be clicked to perform an action from a script.
type="checkbox"	An attribute and value of the input type to display a check box.
type="radio"	An attribute and value of the input type to display a radio button.
type="text"	An attribute and value of the input type to display an input box for the user to enter text.
<select> </select>	To create a selection list. A selection list is a drop down menu where a user selects a particular value from a predetermined list.
<option value= "unitedstates"> United States </option>	Lists an option in the selection list.